



鹤山市美美照明有限公司

电话：86-750-8093840/8891919
传真：86-750-8891919
网址：www.meimeilighting.com (海外)
www.meimeiled.com (中国)
邮箱：info@meimeilighting.com
地址：广东鹤山市沙坪镇人民南路833-835号

HESHAN CITY MEIMEI LIGHTING CO., LTD

Tel: 86-750-8093840/8891919
Fax: 86-750-8891919
Website: www.meimeilighting.com (Oversea)
www.meimeiled.com (China)
Email: info@meimeilighting.com
Add: No. 833-835, Renmin South Road, Shaping Town, Heshan, Guangdong, China




专业LED节日装饰灯制造商



Professional manufacturer of LED decorative lights

鹤山市美美照明有限公司
HESHAN CITY MEIMEI LIGHTING CO.,LTD

专业LED节日装饰灯制造商
Professional manufacturer of
LED decorative lights






公司简介 Company Profile

鹤山市美美照明有限公司-明美灯饰厂, 位于鹤山市桃源镇和沙坪镇交界处, 325国道旁, 比邻佛开高速和江肇高速入口, 交通十分便利。分厂主要生产LED装饰灯, 产品包括LED椰树灯, LED烟花灯, LED仿真树灯, LED圣诞灯饰, LED造型灯等, 工厂拥有多台啤注机, 多种LED圣诞灯饰模具, 包括UL草莓灯串模具, 迷你灯串模具, 防水接头和整流器模具等, 设备齐全, 可为客户设计和生产出口各个国家的标准LED装饰灯, 工艺质量符合各国安规标准, 经过公司全体同仁的努力, 产品已经成功销往香港, 台湾, 欧美和中东等许多国家。

公司研发生产的产品造型美观、品质优良、使用安全方便, 可用于家居、花园、宾馆、街道、广场、酒店等场所的装饰。产品达到UL(美国)、CSA(加拿大)、GS(德国)、CE(欧盟)、SAA(澳洲)、PSE(日本)质量标准。公司凭着多年的出口经验, 严把产品质量关, 坚持用企业文化提升企业核心竞争力, 使企业在发展中树立起良好的社会形象。

Heshan City Mei Mei Lighting Co., Ltd located in Heshan City Taoyuan Town and Shaping Town junction, near to State Road 325 and to Jiangzhao and Fokai high-speed entrance, transportation is very convenient. The company mainly produce LED decorative light products, including LED palm tree lights, LED bonsai tree lights, LED firework lights, LED willow tree lights, LED blossom tree lights, LED Christmas tree lights, LED Christmas lights, LED sculpture lights, etc. We have many injection machines, a variety of LED Christmas lights molds, including UL C6/M5/5MM mold, mini string lights mold, waterproof connectors and rectifiers mold, etc. A full range of machinery and equipment, can be designed and produced various national export standard LED decorative lights.

We R & D products handsome in appearance, good quality, safe and convenient to use, can be used for home decoration, gardens, hotels, streets, squares, hotels and other establishments. Products meet UL (USA), CSA (Canada), GS (Germany), CE (EU), SAA (Australia), PSE(Japen) quality standards. We have many years of export experience, strict product quality, stick with the corporate culture to enhance the core competitiveness of enterprises, enable enterprises to establish a good social image in development.



企业文化

公司坚持以专业, 诚信, 务实, 创新的宗旨, 继续加强与客户的合作, 并根据客户的不同需要, 提供最好的服务水准, 与合作伙伴同共进步。

Corporate Culture

The company adhere to professional, honest, pragmatic and innovative purposes, continue to strengthen cooperation with our customers, and according to the different needs of customers and provide the best level of service, and partners with the common progress.

企业荣誉

公司研发生产的产品造型美观、品质优良、使用安全方便, 已经成功销往香港, 台湾, 欧美和中东等许多国家, 产品达到PSE(日本)、UL(美国)、CSA(加拿大)、GS(德国)、CE(欧盟)、质量标准。

Company Honor

Company R & D products handsome in appearance, High-quality, safe and convenient to use, has been successfully sold to Hong Kong, Taiwan, Europe and the Middle East and many other countries, the products meet PSE (Japan), UL (USA), CSA (Canada), GS (Germany), CE (EU), SAA (Australia) quality standards.



目录 Content

LED树灯细节参照
LED Tree Lights Details Reference07

LED桃花树灯
LED Blossom Tree Lights.....08-19

LED丁香树灯
LED Lilac Tree Lights.....20

LED松树灯
LED Pine Tree Lights.....21-22

LED枫树灯
LED Maple Tree Lights.....23-27

LED柳树灯
LED Willow Tree Lights.....28-29

LED盆景树灯
LED Bonsai Tree Lights.....30-33

LED圣诞树灯
LED Christmas Tree Lights.....34

LED烟花灯
LED Fireworks Lights.....35-37

LED椰树灯
LED Palm Tree Lights.....38-40

LED串灯
LED String Lights.....41-46

LED冰条灯
LED Icicle Lights.....47

LED网灯
LED Net Lights.....48

LED窗帘灯
LED Curtain Lights.....49

LED瀑布灯
LED Waterfall Lights.....50

LED夹子树灯
LED Clip Tree Lights.....51

LED下雪灯
LED Snowfall Lights.....52-53

3D亚克力雕塑灯
3D Acrylic Sculpture Lights.....54-61

LED彩虹管
LED Rope Lights.....62-65

配件与连接
Accessories And Connection.....66

LED控制器
LED Controller.....67

SMD 高压贴片软条灯
SMD High-voltage strip lights.....68-69

高压SMD软件灯条安装说明
SMD High-pressure.....70



LED Tree Lights Details Reference




LED树灯细节参照



Wire inside 线在里面



Wire inside 线在里面



Wire outside 线在外面



Big flower 大花朵



Small flower 小花朵




Maple leaf 枫叶



Fabric flower 布艺花




Tree leaf 树叶



Christmas tree leaf 圣诞树叶



Maple leaf 枫叶




Willow leaf 柳树叶



Base 底部



Transformer 变压器



Cypress 柏叶

We can make the leaf and the flower in Red, Green, Yellow, White, Blue, Pink.


我们可以制作红色, 绿色, 蓝色, 白色, 黄色, 粉红的花朵和树叶。

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-020-14	5200PCS	4.5M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire outside 线在外面

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-026	2112PCS	2.8M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire inside 线在里面

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-017	360PCS	1.4M	24V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire inside 线在里面

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-007	384PCS	1.4M	24V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire inside 线在里面

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-BTL-045	576PCS	1.4M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire outside 线在外面

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-020-03	5188PCS	5.0M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire outside 线在外面
MM-020-01	3888PCS	2.8M			
MM-020-28	864PCS	1.5M			
MM-020-08	1008PCS	2.0M			

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-020-29	2308PCS	3.0M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire outside 线在外面

LED Blossom Tree Lights
LED桃花树灯




ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-021	672PCS	1.8M	24V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire inside 线在里面

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-078	5472PCS	5.5M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire outside 线在外面

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-077	728PCS	1.7M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire outside 线在外面
MM-076	3776PCS	3.3M			
MM-079	216PCS	1.9M			
MM-006	648PCS	2.5M			

LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-075	2360PCS	3.5M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire outside 线在外面
MM-072	2308PCS	2.8M			
MM-071	200PCS	0.8M			
MM-069	1008PCS	2.0M			


LED Blossom Tree Lights
LED桃花树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-006	384PCS	1.4M	24V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire inside 线在里面

LED Lilac Tree Lights

LED丁香树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-024-03	2688PCS	2.3M	110-120V 220-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire outside 线在外面
MM-024-01	2688PCS	3.0M			
MM-024-02	2688PCS	2.5M			
MM-063	1000PCS	1.5M			

LED Pine Tree Lights

LED松树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-009	1152PCS	3.5M	24V	Green 绿色	Wire inside 线在里面

LED Pine Tree Lights
LED松树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-BTL-032	119PCS	1.2M	24V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire inside 线在里面
MM-HTL-012	221PCS	1.5M			
MM-HTL-011	2000PCS	3.5M			
MM-HTL-024	1008PCS	3.0M			

LED Maple Tree Lights
LED枫树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-020-031	3078PCS	3.5M	110-120V 220-240V	G, Y, W 绿色, 黄色, 白色	Wire outside 线在外面
ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-024	2800PCS	3.5M	24V	G, Y, W 绿色, 黄色, 白色	Wire inside 线在里面

LED Maple Tree Lights
LED枫树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-015	384PCS	1.4M	24V	G, Y, W 绿色, 黄色, 白色	Wire inside 线在里面
MM-HTL-018	432PCS	1.4M			
MM-HTL-022	384PCS	1.8M			
MM-HTL-023	1600PCS	2.8M			

LED Maple Tree Lights
LED枫树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-013	2600PCS	2.8M	24V	G, Y, W 绿色, 黄色, 白色	Wire inside 线在里面

LED Maple Tree Lights

LED枫树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-020-030	2000PCS	3.5M	110-120V 220-240V	G, Y, W 绿色, 黄色, 白色	Wire outside 线在外面

LED Maple Tree Lights

LED枫树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-025	1256PCS	2.0M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	Wire outside 线在外面
MM-026	2106PCS	3.0M			
MM-030	3744PCS	4.0M			
MM-031	4752PCS	5.0M			

LED Willow Tree Lights

LED柳树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-020-25	1208PCS	2.0M	24V	R, G, Y, B, W, P 红, 绿, 黄, 蓝, 白, 粉红	Wire inside 线在里面

LED Willow Tree Lights

LED柳树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-020-16	1208PCS	1.8M	110V-120V 220V-240V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红	Wire outside 线在外面
MM-020-24	2106PCS	2.5M			
MM-020-27	5160PCS	3.5M			
MM-020-26	9720PCS	7.0M			

LED Bonsai Tree Lights
LED 盆景树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-BTL-037	360PCS	1.2M	24V	R, G, Y, B, W, P 红, 绿, 黄, 蓝, 白, 粉红	Wire outside 线在外面

LED Bonsai Tree Lights
LED 盆景树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-HTL-027	384PCS	1.4M	24V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红	Wire inside 线在里面
MM-HTL-003	336PCS	1.3M			
MM-HTL-001	288PCS	1.2M			
MM-HTL-002	288PCS	1.2M			

LED Bonsai Tree Lights
LED盆景树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-BTL-033	1152PCS	1.8M	110-120V 220-240 V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红	Wire outside 线在外面
MM-BTL-038	360PCS	1.2M			
MM-BTL-039	432PCS	1.4M			
MM-BTL-036	300PCS	1.3M			


LED Bonsai Tree Lights
LED盆景树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-BTL-042	504PCS	1.4M	110-120V 220-240 V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红	Wire outside 线在外面
MM-BTL-043	504PCS	1.3M			
MM-BTL-044	576PCS	1.4M			
MM-BTL-050	648PCS	1.2M			

LED Christmas Tree Lights

LED 圣诞树灯



ITEM NO. 型号	LED QTY LED数量	HEIGHT 高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-CTL-2M-LED	1404PCS	2.0M	110-120V 220-240 V	R, G, Y, W, P, B, M 红, 绿, 黄, 蓝, 白, 粉红	Wire outside 线在外面
MM-CTL-3M-LED	2700PCS	3.0M			
MM-CTL-4M-LED	3204PCS	4.0M			
MM-CTL-5M-LED	5184PCS	5.0M			

LED Fireworks Lights

LED 烟花灯



ITEM NO. 型号	DIAMETER 球径	HEIGHT 灯高度	VOLTAGE 电压	NO.OF BRANCH 枝条数量	FEATURE 特征
MM-007-248-3*2+1-LED	2M	2M	24V	48PCS	像烟花燃放 From middle to outside running lights, fireworks effect.
MM-007-348-3*2+1-LED	3M	3M	24V	48PCS	
MM-007-448-4*2+1-LED	4M	4M	24V	48PCS	
MM-007-560-5*2+1-LED	5M	5M	24V	60PCS	

LED Fireworks Lights
LED烟花灯



MM-012-378-3-3+1-LED



MM-003-3100-4-2+1-LED



MM-006-348-3+1-LED



MM-005-348-3+1-LED

ITEM NO. 型号	DIAMETER 球径	HEIGHT 灯高度	VOLTAGE 电压	NO. OF BRANCH 枝条数量	FEATURE 特征
MM-012-378-3-3+1-LED	2.0M	2.0M	24V	78PCS	像烟花燃放 From middle to outside running lights, fireworks effect.
MM-007-378-3-4+1-LED	3.0M	3.0M	24V	78PCS	
MM-003-3100-4-2+1-LED	1.9M	3.0M	24V	100PCS	
MM-003-4120-5-2+1-LED	2.9M	4.0M	24V	120PCS	
MM-006-348-3+1-LED	2.0M	1.4M	24V	48PCS	
MM-006-448-4+1-LED	3.0M	2.0M	24V	48PCS	
MM-005-248-3+1-LED	2.0M	2.0M	24V	48PCS	
MM-005-348-3+1-LED	3.0M	3.0M	24V	48PCS	
MM-005-448-4+1-LED	4.0M	4.0M	24V	48PCS	


LED Fireworks Lights
LED烟花灯




MM-011-369-3+1-LED



MM-001-348-3+1-LED



MM-010-348-3+1-LED



MM-002-248-4+1-LED

ITEM NO. 型号	DIAMETER 球径	HEIGHT 灯高度	VOLTAGE 电压	NO. OF BRANCH 枝条数量	FEATURE 特征
MM-011-369-3+1-LED	2.0M	2.2M	24V	69PCS	像烟花燃放 From middle to outside running lights, fireworks effect.
MM-011-469-4+1-LED	3.0M	3.2M	24V	69PCS	
MM-001-348-3+1-LED	1.6M	1.8M	24V	48PCS	
MM-001-448-4+1-LED	2.0M	2.2M	24V	48PCS	
MM-010-348-3+1-LED	1.5M	1.7M	24V	48PCS	
MM-010-448-4+1-LED	2.0M	2.2M	24V	48PCS	
MM-002-248-4+1-LED	2.0M	2.0M	24V	48PCS	
MM-002-348-3+1-LED	3.0M	3.0M	24V	48PCS	
MM-002-448-4+1-LED	4.0M	4.0M	24V	48PCS	

LED Palm Tree Lights

LED 椰树灯



ITEM NO. 型号	DIAMETER 直径	HEIGHT 高度	VOLTAGE 电压	NO.OF LEAF 叶子数量	FEATURE 特征
MM-E-01-LED	2.0M	3.0M	24V	12PCS	整体发光 Shiny trunk
MM-E-02-LED	3.0M	4.5M	24V	18PCS	
MM-E-03-LED	4.0M	6.0M	24V	18PCS	
MM-E-04-LED	5.0M	7.5M	24V	18PCS	

LED Palm Tree Lights

LED 椰树灯




ITEM NO. 型号	DIAMETER 直径	HEIGHT 高度	VOLTAGE 电压	NO.OF LEAF 叶子数量	FEATURE 特征
MM-C-07-LED	2.0M	3.0M	24V	9PCS	Non-shiny tree trunk
MM-B-01-LED	3.0M	4.5M	24V	12PCS	Shiny tree trunk
MM-B-02-LED	4.0M	6.0M	24V	12PCS	Shiny tree trunk
MM-B-03-LED	5.0M	7.5M	24V	12PCS	Shiny tree trunk
MM-B-04-LED	1.5M	1.7M	24V	12PCS	Shiny tree trunk
MM-C-02-LED	1.2M	2.0M	24V	7PCS	Shiny tree trunk

LED Palm Tree Lights
LED椰树灯



ITEM NO. 型号	DIAMETER 直径	HEIGHT 高度	VOLTAGE 电压	NO. OF LEAF 叶子数量	FEATURE 特征
MM-C-03-LED	1.5M	2.0M	24V	20PCS	Shiny tree trunk
MM-D-01-LED	2.0M	3.0M	24V	9PCS	Non-Shiny tree trunk
MM-C-01-LED	1.0M	1.5M	24V	7PCS	Non-shiny tree trunk
MM-F-01-LED	3.0M	4.5M	24V	18PCS	Shiny tree trunk
MM-B-04-LED	4.0M	5.0M	24V	18PCS	Shiny tree trunk
MM-C-02-LED	5.0M	7.5M	24V	18PCS	Shiny tree trunk

LED String Lights- Moulded
LED串灯- 啤注




产品描述:

M5 LED灯, 直接注塑成型, 高性能防水, 颜色不会褪色, 外壳坚固, 可根据要求设计不同的颜色, 不同长度. 能耗低, 可达到比传统圣诞灯减少90%至95%, 使他们更频繁地点亮.

Product description:


M5 LED lights, direct injection molding, high-performance waterproof, color will not fade, rugged, can be designed according to the requirements of different colors, different lengths.

Low energy consumption can be achieved by reduction of 90-95% energy compared to traditional Christmas lights.



ITEM NO. 型号	LED QTY LED数量	LENGTH 长度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-LED-5MM-5M-50L	50PCS	5M	110V/240V	R,G,Y,B,W,P,M 红,绿,黄,蓝, 白,粉红,彩色	闪烁或常亮 No controller With controller
MM-LED-5MM-7M-70L	70PCS	7M	110V/240V		可连接或不可连接 Can be extended Can not be extended
MM-LED-5MM-10M-100L	100PCS	10M	110V/240V		

LED String Lights- Moulded
LED串灯- 啤注



产品描述:

M5 LED灯, 直接注塑成型, 高性能防水, 颜色不会褪色, 外壳坚固, 可根据要求设计不同的颜色, 不同长度。能耗低, 可达到比传统圣诞灯减少90%至95%, 使们更频繁地点亮。

Product description:

M5 LED lights, direct injection molding, high-performance waterproof, color will not fade, rugged, can be designed according to the requirements of different colors, different lengths. Low energy consumption can be achieved by reduction of 90-95% energy compared to traditional Christmas lights.



ITEM NO. 型号	LED QTY LED数量	LENGTH 长度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-LED-M5-5M-50L	50PCS	5M	110V/240V	R,G,Y,B,W,P,M 红,绿,黄,蓝, 白,粉红,彩色	闪烁或常亮 No controller With controller
MM-LED-M5-7M-70L	70PCS	7M	110V/240V		可连接或不可连接 Can be extended Can not be extended
MM-LED-M5-10M-100L	100PCS	10M	110V/240V		



LED String Lights- Moulded
LED串灯- 啤注





产品描述:

C6 LED灯, 直接注塑成型, 高性能防水, 颜色不会褪色, 外壳坚固, 可根据要求设计不同的颜色, 不同长度。能耗低, 可达到比传统圣诞灯减少90%至95%, 使们更频繁地点亮。

Product description:

C6 LED lights, direct injection molding, high-performance waterproof, color will not fade, rugged, can be designed according to the requirements of different colors, different lengths. Low energy consumption can be achieved by reduction of 90-95% energy compared to traditional Christmas lights.



ITEM NO. 型号	LED QTY LED数量	LENGTH 长度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-LED-C6-5M-50L	50PCS	5M	110V/240V	R,G,Y,B,W,P,M 红,绿,黄,蓝, 白,粉红,彩色	闪烁或常亮 No controller With controller
MM-LED-C6-7M-70L	70PCS	7M	110V/240V		可连接或不可连接 Can be extended Can not be extended
MM-LED-C6-10M-100L	100PCS	10M	110V/240V		

LED String Lights- Rubber cable



LED串灯-橡胶线



产品应用:

- * 适用于住宅和商业照明, 商店橱窗, 画廊。
- * 博物馆, 会议室, 展览, 酒吧, 酒店, KTV等上。
- * 用于室内和室外装饰树木, 地面围栏。

Product Application:

- * Suitable for residential and commercial lighting, shop windows, galleries.
- * Museums, conference rooms, exhibitions, bars, hotels, KTV and so on.
- * Trees for indoor and outdoor decoration, ground fencing.



ITEM NO. 型号	LED QTY LED数量	LENGTH 长度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-LED-PL-5M-50L	50PCS	5M	110V/240V	R,G,Y,B,W,P,M 红,绿,黄,蓝, 白,粉红,彩色	闪烁或常亮 No controller With controller
MM-LED-PL-10M-100L	100PCS	10M	110V/240V		
MM-LED-TW-5M-50L	50PCS	5M	110V/240V		可连接或不可连接 Can be extended Can not be extended
MM-LED-TW-10M-100L	100PCS	10M	110V/240V		

LED String Lights- PVC cable



LED串灯-PVC线



产品描述:

- * 电压: 12/24/100-120/220-240V可用。
- * 灯泡的颜色: 红, 绿, 蓝, 白, 黄, 暖白, 粉红色, 紫色, RGB。
- * 电线: PVC电缆。
- * 导线的颜色: 深绿色, 黑色, 白色, 透明, 或其它颜色。
- * 带或不带控制器, 常亮或闪烁。
- * 可连接或不可连接的。
- * 长度5米或10米。
- * 可根据要求制作各种款式, 长度, 灯数。

Product Description:

- * Voltage: 12/24/100-120/220-240V available.
- * Lamp color: red, green, blue, white, yellow, warm white, pink, purple, RGB.
- * Wire: PVC.
- * Color wires: dark green, black, white, transparent, or other colors.
- * With or without controller, steady or flashing.
- * Can be connected or non-connected.
- * Length of 5 m or 10 m.
- * Can produce a variety of styles, lengths, number of lights upon request.



ITEM NO. 型号	LED QTY LED数量	LENGTH 长度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-LED-PL-5M-50L	50PCS	5M	110V/240V	R,G,Y,B,W,P,M 红,绿,黄,蓝, 白,粉红,彩色	闪烁或常亮 No controller With controller
MM-LED-PL-10M-100L	100PCS	10M	110V/240V		
MM-LED-TW-5M-50L	50PCS	5M	110V/240V		可连接或不可连接 Can be extended Can not be extended
MM-LED-TW-10M-100L	100PCS	10M	110V/240V		



LED String Lights- Ball type



LED串灯-球型



RGB球泡LED灯串:

乳白外壳, 注胶式防水, 120度发光角度, 单颗球泡可以实现彩色变化, 无需控制器。

RGB bulb LED string lights:


Milky shell, waterproof, 120 wide-angle, single bulb color variations can be achieved without controller.

产品描述:

- * 电压: 100-120/220-240V可用。
- * 灯泡的颜色: 红, 绿, 蓝, 白, 黄, 暖白, 粉红色, 紫色, RGB。
- * 电线: PVC电缆。
- * 导线的颜色: 深绿色, 黑色, 白色, 透明, 或其它颜色。
- * 不带控制器, 常亮。
- * 可连接或不可连接的。
- * 长度5米或10米。
- * 可根据要求制作各种款式, 长度, 灯数。

Product Description:

- * Voltage: 100-120/220-240V available.
- * Lamp color: red, green, blue, white, yellow, warm white, pink, purple, RGB.
- * Wire: PVC.
- * Color wires: dark green, black, white, transparent, or other colors.
- * Without controller, steady or flashing.
- * Can be connected or non-connected.
- * Length of 5 m or 10 m.
- * Can produce a variety of styles, lengths, number of lights upon request.



ITEM NO. 型号	LED QTY LED数量	LENGTH 长度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-LED-BPL-5M-50L	50PCS	5M	110V/240V	R,G,Y,B,W,P,M	可连接或不可连接
MM-LED-BPL-10M-100L	100PCS	10M	110V/240V	红,绿,黄,蓝,白,粉,紫,彩色	
MM-LED-BPL-5M-50L-RGB	50PCS	5M	110V/240V	RGB	Can be extended
MM-LED-BPL-10M-100L-RGB	100PCS	10M	110V/240V		Can not be extended

LED Icicle Lights



LED冰条灯



产品特征:

是一种特殊类型的窗帘灯串, 不同长度, 冬天的时候看起来象是冰柱, 特别是用于装饰的屋檐下。这是一种很奇妙的装饰, 很像是冰柱雪后的屋檐。

Product Features:



It is a special type of Curtain light with a lot of strings in different lengths, which looks like to be icicles in winter time, especially used for decorating the eaves. This item is very fantastic for decorating the eaves which seems to be the icicles after snowing.



ITEM NO. 型号	LED QTY LED数量	WIDTH/DROOP 宽度/高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-IL-120L-2*0.6M-LED	120PCS	2M*0.6M	110V/240V	R,G,Y,B,W,P,M	闪烁或常亮 No controller With controller
MM-IL-144L-3*0.6M-LED	144PCS	3M*0.6M	110V/240V	红,绿,黄,蓝,白,粉,紫,彩色	可连接或不可连接 Can be extended Can not be extended
MM-NL-216L-6*0.6M-LED	216PCS	6M*0.6M	110V/240V		
MM-NICL-240L-4*1M-LED	240PCS	4M*1.0M	110V/240V		

LED Net Lights

LED网灯



产品用途:

室内和室外使用, 树木和灌木, 也可以在凉亭, 栅栏和围墙用。其他用途包括帐篷装饰, 婚礼装饰。

Product Application:

Indoor and outdoor use, trees and shrubs, can also use on gazebos, fences and walls.

Other uses include tent decoration, wedding decoration.

ITEM NO. 型号	LED QTY LED数量	LENGTH /WIDTH 长度/宽度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-NL-176L-2*1M-LED	176PCS	2M*1M	110V/240V	R,G,Y,B,W, P,M	闪烁或常亮 No controller With controller
MM-NL-256L-2*2M-LED	256PCS	2M*2M	110V/240V	红, 绿, 黄, 蓝, 白, 粉 红, 彩色	可连接或不可连接 Can be extended Can not be extended
MM-NL-288L-2*3M-LED	288PCS	2M*3M	110V/240V		
MM-NL-576L-3*4M-LED	576PCS	3M*4M	110V/240V		



LED Curtain Lights

LED窗帘灯




产品描述:


LED窗帘灯可以设计出多种颜色, 容易安装, 适合安装在建筑物外墙上, 室内橱窗展示, 在阳台上, 走廊四周, 剧场舞台, 或其他任何地方。

Product Description:

LED curtain lights can design a variety of colors, it is easy to install, suitable for installation facades on buildings, indoor window display, on the balcony, surrounded by corridors, theater stage, or anywhere else.



PVC线窗帘灯
PVC cable



橡胶线窗帘灯
Rubber cable

ITEM NO. 型号	LED QTY LED数量	WIDTH/HEIGHT 宽度/高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-CL-2020-400L-LED	400PCS	2M*2M	110V/240V	R,G,Y,B,W, P,M	闪烁或常亮 No controller With controller
MM-CL-3624-864L-LED	864PCS	2M*3M	110V/240V	红, 绿, 黄, 蓝, 白, 粉 红, 彩色	可连接或不可连接 Can be extended Can not be extended
MM-CL-3725-925L-LED	925PCS	2M*3M	110V/240V		
MM-CL-2525-625L-LED	625PCS	2M*2M	110V/240V		
MM-CL-2050-1000L-LED	1000PCS	2M*4M	110V/240V	R,G,Y,B,W, P,M	
MM-CL-2030-600L-LED	600PCS	2M*3M	110V/240V	红, 绿, 黄, 蓝, 白, 粉 红, 彩色	
MM-CL-1825-450L-LED	450PCS	2M*4M	110V/240V		

LED Waterfall Lights

LED瀑布灯





产品描述:

LED瀑布灯, 可以设计不同的长度和宽度根据装饰场地要求, 灯光通过控制器可以从上而下流动, 像真实的瀑布, 广泛用于酒店或娱乐场所外墙, 室内外装饰。

Product Description:

LED waterfall lights, can be designed according to different lengths and widths site requirements, lights flowing from top to bottom, like a real waterfall, widely used outside a hotel or entertainment venues, indoor and outdoor decoration.



ITEM NO. 型号	LED QTY LED数量	WIDTH/HEIGHT 宽度/高度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-WL-2060-1200L-LED	1200PCS	2M*3M	110V/240V	R,G,Y,B,W, P,M	闪烁或常亮 No controller With controller
MM-WL-20100-2000L-LED	2000PCS	2M*4M	110V/240V	红,绿,黄, 蓝,白,粉 红,彩色	可连接或不可连接 Can be extended Can not be extended
MM-WL-20120-2400L-LED	2400PCS	2M*5M	110V/240V	红,绿,黄, 蓝,白,粉 红,彩色	可连接或不可连接 Can be extended Can not be extended

LED Clip Tree Lights

LED夹子树灯



LED Clip Tree Lights

Product Description:

Length: 100M
Voltage: DC12V
Lifespan: >50000H
LED QTY: 666PCS/333PCS/1000PCS
LED spacing: 15CM/30CM/10CM
Cut: Any size
Operating temperature: -20°C ~ 50°C
Wire: 18# parallel cable
Colour: Red, Green, Yellow, Blue, White, Pink, Multi color


产品说明:

长度: 100M
电压: DC12V
寿命: >50000H
LED数量: 666PCS/333PCS/1000PCS
LED间距: 15CM/30CM/10CM
剪切: 任何尺寸
工作温度: -20°C ~ 50°C
线材: 18# 并行电缆
颜色: 红色, 绿色, 黄色, 蓝色, 白色, 粉红色, 彩色



ITEM NO. 型号	LED QTY LED数量	LENGTH 长度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-LED-CL-666L-100M-12V	666PCS	100M	12V	R,G,Y,B,W, P,M	可换式灯泡
MM-LED-CL-330L-100M-12V	330PCS	100M	12V	红,绿,黄, 蓝,白,粉 红,彩色	Replaceable LED bulb
MM-LED-CL-1000L-100M-12V	1000PCS	100M	12V	红,绿,黄, 蓝,白,粉 红,彩色	Replaceable LED bulb

LED Snowfall Lights
LED下雪灯



Product Description:

- 1) Feature : Double-sided
- 2) Wattage : 3W
- 3) LED Color : Red, Green, Yellow, Blue, White, Multi-color
- 4) LED QTY : 78pcs
- 5) Tube Spacing : 40cm
- 6) Lead Length : 40cm
- 7) Tube Length : 50cm
- 8) Tube Diameter : 1.2cm
- 9) Input Voltage : DC12V
- 10) Lifespan : >50,000Hours


产品描述:

- 1) 特点: 双面
- 2) 功率: 3W
- 3) LED颜色: 红, 绿, 黄, 蓝, 白, 多色
- 4) LED数量: 78PCS
- 5) 管间距: 40厘米
- 6) 引线长度: 40厘米
- 7) 管长度: 50厘米
- 8) 管直径: 1.2厘米
- 9) 输入电压: DC12V
- 10) 寿命: >50,000小时



ITEM NO. 型号	LED QTY LED数量	TUBE LENGTH 管长度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-MNSFL-780L-SMD-12V	780PCS	50CM	12V	R,G,Y,B,W,P 红,黄,蓝,白	迷你型
MM-MNSFL-300L-LED-5V	300PCS	50CM	5V	绿,粉红	Mini 1.2cm diameter

LED Snowfall Lights
LED下雪灯



ITEM NO. 型号	LED QTY LED数量	DIAMETER 管径	TUBE LENGTH 管长度	VOLTAGE 电压	COLOUR 颜色	FEATURE 特征
MM-SFL-60L-LED	60PCS	3CM	35CM	7V	R,G,Y,B,W,P 红,绿,黄, 蓝,白,粉红	Round
MM-SFL-78L-LED	78PCS	3CM	50CM	12V		Round
MM-SFL-72L-LED	72PCS	3CM	75CM	12V		Round
MM-SFL-96L-LED	96PCS	3CM	80CM	12V		Round
MM-SFL-192L-LED	192PCS	3CM	100CM	24V		Round
MM-SFL-96L-LED	96PCS	7.5CM	60CM	12V		Cone
MM-SFL-128L-LED	128PCS	7.5CM	80CM	12V		Cone



3D Acrylic Sculpture Lights

3D亚克力雕塑灯



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-190-24V	20000PCS	H220XL600XD150	24V	Green+White+Red



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-080-24V	1264PCS	H68XW85	24V	White
MM-GSP-081-24V	864PCS	H63XW89	24V	Whiter



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-082-24V	896PCS	H50XW83	24V	White
MM-GSP-083-24V	920PCS	H55XW90	24V	White



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-066-24V	432PCS	H55XW55	24V	White



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-065-24V	400PCS	H68XW65	24V	White

3D Acrylic Sculpture Lights

3D亚克力雕塑灯



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HS-093Y-24V	1500PCS	L120XH150	24V	W+Brown



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HS-098-24V	1850PCS	L130XH100	24V	W+Brown



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HS-094Y-24V	960PCS	L81XH81	24V	W+Brown



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HS-092A-24V	432PCS	L130XH100	24V	White



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-062-24V	1416PCS	H70XW125	24V	White



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-064-24V	752PCS	H40XW55	24V	White

3D Acrylic Sculpture Lights

3D亚克力雕塑灯



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HS-093A-24V	1500PCS	L132XW153XW32	24V	White



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-089-24V	5752PCS	H350XW300	24V	White



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-090-24V	1664PCS	H260XW160	24V	White

3D Acrylic Sculpture Lights

3D亚克力雕塑灯



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HS-102-24V	18500PCS	H350XW500	24V	White

3D Acrylic Sculpture Lights

3D亚克力雕塑灯



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HHS-132-24V	546PCS	H128XL143XW107	24V	White



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HS-117B-24V	160PCS	H40XW25	24V	W+R



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HSB-103-24V	160PCS	H90XW73	24V	White



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-SML-001-220V	200PCS	H50XW40	110V/220V	W+R



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HS-101-24V	2000PCS	H150XW130	24V	B+W



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-HS-042-24V	2528PCS	160	24V	White

3D Acrylic Sculpture Lights

3D亚克力雕塑灯



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-067-24V	464PCS	H130XW70	24V	Black+White+Red
MM-GSP-068-24V	464PCS	H95XW78	24V	Black+White+Red
MM-GSP-069-24V	464PCS	H95XW80	24V	Black+White+Red



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-073-24V	2000PCS	H120XW100	24V	R+G+Y+B+W



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-075-24V	4664PCS	H200XW125	24V	R+G+Y+B+W

3D Acrylic Sculpture Lights

3D亚克力雕塑灯



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-074-24V	2664PCS	H170XW125	24V	R+B+W+G+Y



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-186-220V	200PCS	46X30X44	110/220V	W+Y



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-086-24V	1528PCS	H127XL62	24V	Blue+White
MM-GSP-087-24V	1296PCS	H107XW48	24V	Blue+White
MM-GSP-088-24V	696PCS	H68XW60	24V	Blue+White

3D Acrylic Sculpture Lights

3D亚克力雕塑灯



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-071-24V	4400PCS	H210XW130	24V	R+B+W



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-072-24V	3160PCS	H160XW100	24V	R+B+W



ITEM NO.	LED QTY	SIZE/CM	VOLTAGE	COLOUR
MM-GSP-191A-24V	6800PCS	H350XW110	24V	B/W/Brown/Dark Green
MM-GSP-191B-24V	9000PCS	H550XW185	24V	B/W/Brown/Dark Green



LED Rope Lights- Round 2 wire

LED彩虹管-圆二线




产品特点:

- 1) 100-120V, 220-240V, 24V
- 2) 13毫米直径
- 3) 超过50,000小时
- 4) 30 - 36LED/米
- 5) 圆型管
- 6) 柔软, 1米或2米每单元
- 7) 室内或室外使用
- 8) 空心或实心; 两条线
- 9) 红, 绿, 黄, 蓝, 白, 彩色

Product Features:

- 1) 100-120V, 220-240V, 24V
- 2) Diameter 13mm
- 3) >50,000 hours lifespan
- 4) 30 - 36LED/m
- 5) Round
- 6) Flexible, 1m or 2m per units
- 7) Indoor or outdoor use
- 8) Hollow or solid; two wires
- 9) R, G, Y, B, W, Multi-color



ITEM NO. 型号	DIAMETER 直径	LED QTY/M LED数量	VOLTAGE 电压	COLOUR 颜色	CUTTING UNIT 剪切单元
MM-LED-RL-36L-2W	13MM	36PCS	110V/240V	R, G, Y, B, W, P, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	2M
MM-LED-RL-30L-2W	13MM	30PCS	110V/240V		1M
MM-LED-RL-36L-2W	13MM	36PCS	24V		0.17M
MM-LED-RL-30L-2W	13MM	30PCS	24V		0.2M

LED Rope Lights- Flat 3 wire

LED彩虹管-扁三线




产品特点:

- 1) 100-120V, 220-240V, 24V
- 2) 11 x 18毫米
- 3) 超过50,000小时
- 4) 60 - 72LED/米
- 5) 方型管
- 6) 柔软, 1米或2米每单元
- 7) 室内或室外使用
- 8) 三条线
- 9) 红, 绿, 黄, 蓝, 白, 彩色

Product Features:

- 1) 100-120V, 220-240V, 24V
- 2) 11 x 18mm
- 3) >50,000 hours lifespan
- 4) 60 - 72LED/m
- 5) Flat
- 6) Flexible, 1m or 2m per units
- 7) Indoor or outdoor use
- 8) Three wires
- 9) R, G, Y, B, W, Multi-color



ITEM NO. 型号	DIAMETER 直径	LED QTY/M LED数量	VOLTAGE 电压	COLOUR 颜色	CUTTING UNIT 剪切单元
MM-LED-RL-60L-3W	11x18MM	60PCS	110V/240V	R, G, Y, B, W, P, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	1M/2M
MM-LED-RL-72L-3W	11x18MM	72PCS	110V/240V		1M/2M
MM-LED-RL-60L-3W	11x18MM	60PCS	24V		0.17M
MM-LED-RL-72L-3W	11x18MM	72PCS	24V		0.2M

LED Rope Lights- Flat 4 wire

LED彩虹管-扁四线




产品特点:

- 1) 100-120V, 220-240V, 24V
- 2) 11 x 22毫米
- 3) 超过50,000小时
- 4) 90 - 108LED/米
- 5) 方型管
- 6) 柔软, 1米或2米每单元
- 7) 室内或室外使用
- 8) 四条线
- 9) 红, 绿, 黄, 蓝, 白, 彩色

Product Features:

- 1) 100-120V, 220-240V, 24V
- 2) 11 x 22mm
- 3) >50,000 hours lifespan
- 4) 90 - 108LED/m
- 5) Flat
- 6) Flexible, 1m or 2m per units
- 7) Indoor or outdoor use
- 8) Four wires
- 9) R, G, Y, B, W, Multi-color



ITEM NO. 型号	DIAMETER 直径	LED QTY/M LED数量	VOLTAGE 电压	COLOUR 颜色	CUTTING UNIT 剪切单元
MM-LED-RL-108L-4W	11x22MM	108PCS	110V/240V	R, G, Y, B, W, P, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	1M/2M
MM-LED-RL-90L-4W	11x22MM	90PCS	110V/240V		1M/2M
MM-LED-RL-108L-4W	11x22MM	108PCS	24V		0.17M
MM-LED-RL-90L-4W	11x22MM	90PCS	24V		0.2M

LED Rope Lights- Flat 5 wire

LED彩虹管-扁五线




产品特点:

- 1) 100-120V, 220-240V, 24V
- 2) 11 x 28毫米
- 3) 超过50,000小时
- 4) 120 - 144LED/米
- 5) 方型管
- 6) 柔软, 1米或2米每单元
- 7) 室内或室外使用
- 8) 结构: 五条线
- 9) 颜色: 红, 绿, 黄, 蓝, 白, 彩色

Product Features:

- 1) 100-120V, 220-240V, 24V
- 2) 11 x 28mm
- 3) >50,000 hours lifespan
- 4) 120 - 144LED/m
- 5) Flat
- 6) Flexible, 1m or 2m per units
- 7) Indoor or outdoor use
- 8) Five wires
- 9) R, G, Y, B, W, Multi-color



ITEM NO. 型号	DIAMETER 直径	LED QTY/M LED数量	VOLTAGE 电压	COLOUR 颜色	CUTTING UNIT 剪切单元
MM-LED-RL-120L-5W	11x28MM	120PCS	110V/240V	R, G, Y, B, W, P, M 红, 绿, 黄, 蓝, 白, 粉红, 彩色	1M/2M
MM-LED-RL-144L-5W	11x28MM	144PCS	110V/240V		1M/2M
MM-LED-RL-120L-5W	11x28MM	120PCS	24V		0.2M
MM-LED-RL-144L-5W	11x28MM	144PCS	24V		0.17M

配件与连接 Accessories And Connection


LED 彩虹管配件 LED Rope Light Accessory



LED 彩虹管安装注意事项 LED Rope Light Installation

1. 当彩虹管整卷、堆成一团或没有拆离包装物时，切勿通电点亮彩虹管，以免发热烧坏灯带。
 2. 安装时，请将灯带两端主电线的毛刺用钳剪干净，避免短路。
 3. 在剪断彩虹管时，请在印有剪刀标记处剪断，否则将引起一个单元不亮。
 4. 勿在安装或装配彩虹管过程中接通电源，只有在接驳、安装、固定好且正确的情况下，方可通电。
 5. 安装、固定必须牢固，不能有颤动、摆动现象，最好使用钢索靠定，否则引起灯管内电线疲劳断裂。
 6. 安装使用过程中，请勿用钝器敲击、摔打、重压。
 7. 灯管尾端及插头接口处，必须做好防水处理，用高压防水胶密封，再用防水电工胶布粘住，保证使用不进水，无短路隐患。
 8. 只有相同规格，电压相同的两端才能相互串接，串联长度不可超过最大许可使用长度。
 9. 不可安装于水中、易燃、易爆环境中，必须保证使用环境通风良好，不能用任何物体包住、覆盖灯管、保证灯管散热良好。
 10. 电源电压应与灯管所标示电压一致，并安装适当保险装置。
 11. 在安装使用专用控制装置和专用直流电源连接线时，请务必做好防水处理，以免进水烧毁内部原件。
 12. LED有正负极之分，接反会不亮，要及时更正，否则会导致产品损坏。
 13. 本产品易引起儿童兴趣，请安装在儿童不能触及的地方或在成人监护下使用。
1. When the rope light the entire volume, heap yelling or no packaging detachment, not to electricity lit rope light, so as not to burn out light with a fever.
 2. installation, set the lights at both ends of the main wire with pliers cutting burr with a clean, avoid short-circuit.
 3. in the cut rope light, please mark in the printed scissors cut, or will cause a unit does not shine.
 4. do not install or assembly process of Colorful lights switched on only when the connection, installation, and fixed and the right circumstances, be electricity.
 5. installation, must be firmly fixed can not have flowing, swinging phenomenon, it is best determined by the use of cables, or wires inside the tube caused by fatigue fracture.
 6. during installation, do not use a blunt object percussion, blows, and stress.
 7. tail lamp and the plug interface places and need to do waterproofing, waterproof plastic with high pressure seal, and then stick to waterproof electrical tape to ensure the use of water, no short-circuit risks.
 8. only the same size, voltage can be between the two ends of the same tandem, series length should not exceed the maximum length of license.
 9. should not be installed in the water, flammable, explosive environment, must ensure that the use of the environment well-ventilated, which can not wrap any object, covering tube to ensure good heat lamp.
 10. supply voltage should be marked on lamp voltage line, and install the appropriate device.
 11. in the installation of a dedicated control unit and a dedicated DC power cable, do not do a good job must be waterproofed to prevent water burned the original house.
 12. LED's have positive and negative points, then it will run does not shine, we must promptly correct, otherwise it will result in product damage.
 13. this product could easily cause a child interested in, please install the children can not reach places or used under adult guardianship.

LED 控制器：微型塑料外壳控制器 LED Controller Micro-controller plastic shell



扁五线微控 5-WIRE Micro control
扁四线微控 4-WIRE Micro control
扁三线微控 3-WIRE Micro control
圆二线微控 2-WIRE Micro control


Item No. 型号	Voltage 电压(V)	Total Current 电流(A)	Controlled Length 可控长度	Function功能
圆二线微控 2-WIRE Micro control	110-240	0.8A/2A	20M/50M/100M	8-function/Memory/Synchronous Gradual changing/lumping 八功能/记忆/同步渐(跳)变
扁三线微控 3-WIRE Micro control	110-240	1.6A/4A	20M/50M/100M	
扁四线微控 4-WIRE Micro control	110-240	2.4A/6A	20M/50M/100M	
扁五线微控 5-WIRE Micro control	110-240	3.2A/8A	20M/50M/100M	

LED 彩虹管安装示意图 LED Rope Light Installation Diagram



SMD High-voltage strip lights

SMD 高压贴片软条灯



产品特征:

1. AC110/220V输入
2. IP67防水等级
3. 100米长度，每一米单位可剪切
4. 柔软可以弯曲
5. 方便安装
6. 可替代霓虹灯管
7. 广泛用于酒吧，酒店，旅馆，灯光装饰，背景照明

Product Features:

1. AC110/220V input
2. IP67 waterproof rating
3. 100 m length, each meter units can be cut
4. Soft and can be bent
5. Easy installation
6. Alternative to neon tubes
7. Widely used in bars, hotels, hostels, decorative lighting, background lighting



ITEM NO. 型号	DIAMETER 直径	LED QTY/M LED数量	VOLTAGE 电压	COLOUR 颜色	CUTTING UNIT 剪切单元
MM-HRL-3528-60L	6x12MM	60PCS	110V/240V	R, G, Y, B, W, P	1M
MM-HRL-5050-30L	8x15MM	30PCS	110V/240V	红, 绿, 黄, 蓝, 白, 粉红	1M
MM-HRL-5050-60L	8x15MM	60PCS	110V/240V		1M
MM-HRL-5050-60-RGB	8x15MM	60PCS	110V/240V	RGB	1M

SMD High-voltage strip lights- 4 wire RGB

SMD 高压贴片软条灯- 四线红绿蓝




Product Features:

1. AC110/220V input
2. IP67 waterproof rating
3. 100 m length, each meter units can be cut
4. Soft and can be bent
5. Easy installation
6. Alternative to neon tubes
7. beating, running water, Happy effects by controller
8. Widely used in bars, hotels, hostels, decorative lighting, background lighting

产品特征:

1. AC110/220V输入
2. IP67防水等级
3. 100米长度，每一米单位可剪切
4. 柔软可以弯曲
5. 方便安装
6. 可替代霓虹灯管
7. 跳动，渐变，流水，追逐等效果
8. 广泛用于酒吧，酒店，旅馆，灯光装饰，背景照明



ITEM NO. 型号	DIAMETER 直径	LED QTY/M LED数量	VOLTAGE 电压	COLOUR 颜色	CUTTING UNIT 剪切单元
MM-HSLM-3528-144L-P	10x20MM	144PCS	110V/240V	R+G+B	1M
MM-HSLM-5050-60L-A	8x15MM	60PCS	110V/240V	R+G+B	1M
MM-HSLM-3528-60L-S	8x15MM	60PCS	110V/240V	R+G+B	1M
MM-HSLM-3528-90L-B	8x15MM	90PCS	110V/240V	R+G+B	1M

高压SMD软灯条安装说明 SMD High-pressure Flexible Light Installation



贴片灯条配件 SMD High-pressure Flexible Light Accessories



220V贴片灯条电源系列 220V SMD FLEXIBLE LIGHT POWER CORD

